



## PHST combined infection training recruitment ST3/4 shortlist score data (2013-2026)

This document contains shortlist score data for PHST combined infection training recruitment. Graphs depicting the distribution of shortlisting scores are presented for both rounds 1 & 2.




## PHST – ST3 grade - combined infection training recruitment – shortlist score distribution 2026 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2026 PHST recruitment round 1.

The number of applications submitted was **125**; shortlist scores ranged from **13 - 59** (min and max possible were 0-60).

Mean and median averages achieved were **41** (41.4) and **43** respectively.






## PHST – ST4 grade - combined infection training recruitment – shortlist score distribution 2026 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2026 PHST recruitment round 1.

The number of applications submitted was **75**; shortlist scores ranged from **18 - 59** (min and max possible were 0-60).

Mean and median averages achieved were **43** (43.3) and **46** respectively.






## PHST – ST3 grade - combined infection training recruitment – shortlist score distribution 2025 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2025 PHST recruitment round 2.

The number of applications submitted was **61**; shortlist scores ranged from **16** - **57** (min and max possible were 0-60).

Mean and median averages achieved were **40** (39.7) and **43** respectively.




## PHST – ST4 grade - combined infection training recruitment – shortlist score distribution 2025 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2025 PHST recruitment round 2.

The number of applications submitted was **43**; shortlist scores ranged from **19** - **57** (min and max possible were 0-60).

Mean and median averages achieved were **38** (38.2) and **37** respectively.




## PHST – ST3 grade - combined infection training recruitment – shortlist score distribution 2025 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2025 PHST recruitment round 1.

The number of applications submitted was **121**; shortlist scores ranged from **7** - **58** (min and max possible were 0-60).

Mean and median averages achieved were **40** (39.5) and **43** respectively.






## PHST – ST4 grade - combined infection training recruitment – shortlist score distribution 2025 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2025 PHST recruitment round 1.

The number of applications submitted was **94**; shortlist scores ranged from **12** - **57** (min and max possible were 0-60).

Mean and median averages achieved were **39** (39.5) and **41** respectively.




## PHST – ST3 grade - combined infection training recruitment – shortlist score distribution 2024 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2024 PHST recruitment round 2.

The number of applications submitted was **45**; shortlist scores ranged from **18 - 68** (min and max possible were 0-70).

Mean and median averages achieved were **46** (45.73) **and 49** respectively.




## PHST – ST4 grade - combined infection training recruitment – shortlist score distribution 2024 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2024 PHST recruitment round 2.

The number of applications submitted was **21**; shortlist scores ranged from **23** - **59** (min and max possible were 0-70).

Mean and median averages achieved were **41** (43.1) and **39** respectively.






## PHST – ST3 grade - combined infection training recruitment – shortlist score distribution 2024 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2024 PHST recruitment round 1.

The number of applications submitted was **121**; shortlist scores ranged from **9-65** (min and max possible were 0-70).

Mean and median averages achieved were **46** (45.65) **and 52** respectively.






## PHST – ST4 grade - combined infection training recruitment – shortlist score distribution 2024 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2024 PHST recruitment round 1.

The number of applications submitted was **77**; shortlist scores ranged from **9-65** (min and max possible were 0-70).

Mean and median averages achieved were **45** (45.1) and **50** respectively.




## PHST – ST3 grade - combined infection training recruitment – shortlist score distribution 2023 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2023 PHST recruitment round 2.

The number of applications submitted was **30**; shortlist scores ranged from **20-60** (min and max possible were 0-70).

Mean and median averages achieved were **43** (43.1) and **47** respectively.




## PHST – ST4 grade - combined infection training recruitment – shortlist score distribution 2023 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2023 PHST recruitment round 2.

The number of applications submitted was **67**; shortlist scores ranged from **26 -60** (min and max possible were 0-70).

Mean and median averages achieved were **45** (45.2) **and 46** respectively.






## PHST – ST3 grade - combined infection training recruitment – shortlist score distribution 2023 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2023 PHST recruitment round 1.

The number of applications submitted was **132**; shortlist scores ranged from **9 -67** (min and max possible were 0-70).

Mean and median averages achieved were **45** (45.1) and **51** respectively.




## PHST – ST4 grade - combined infection training recruitment – shortlist score distribution 2023 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2023 PHST recruitment round 1.

The number of applications submitted was 67; shortlist scores ranged from **15 -67** (min and max possible were 0-70).

Mean and median averages achieved were **47** (46.7) and **51** respectively.




## PHST – ST3 grade - combined infection training recruitment – shortlist score distribution 2022 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2022 PHST recruitment round 2.

The number of applications submitted was **42**; shortlist scores ranged from **18 -67** (min and max possible were 0-78).

Mean and median averages achieved were **39** (39.47) **and 39** respectively.




## PHST – ST4 grade - combined infection training recruitment – shortlist score distribution 2022 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2022 PHST recruitment round 2.

The number of applications submitted was **24**; shortlist scores ranged from **0 -63** (min and max possible were 0-78).

Mean and median averages achieved were **37** (37.29) **and 36** respectively.




## PHST – ST3 grade - combined infection training recruitment – shortlist score distribution 2022 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2022 PHST recruitment round 1.

The number of applications submitted was **98**; shortlist scores ranged from **18 -74** (min and max possible were 0-78).

Mean and median averages achieved were **49 (49.42)** and **51** respectively.




## PHST – ST4 grade - combined infection training recruitment – shortlist score distribution 2022 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2022 PHST recruitment round 1.

The number of applications submitted was **69**; shortlist scores ranged from **7 -73** (min and max possible were 0-78).

Mean and median averages achieved were **48 (47.77) and 48** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2021 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2021 ST3 recruitment round 2.

The number of applications submitted was **80**; shortlist scores ranged from **0 -46** (min and max possible were 0-68).

Mean and median averages achieved were **21** and **22** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2021 (round 1)

The graph below shows the distribution of shortlist scores awarded to all CIT applications submitted in 2021 ST3 recruitment round 1.

The number of applications submitted was 149; shortlist scores ranged from 0-52 (min and max possible were 0-56).

Mean and median averages achieved were 26 (25.93) and 27 respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2020 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to combined infection training applications which reached the evidence verification stage in 2020 ST3 recruitment round 2.

The number of applications submitted was **83**; shortlist scores ranged from **12-65** (min and max possible were 0-68).

Mean and median averages achieved were **36** (35.54) and **35** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2020 (round 1)

The graph below shows the distribution of shortlist scores awarded to all CIT applications submitted in 2020 ST3 recruitment round 1.

The number of applications submitted was **192**; shortlist scores ranged from **12-74** (min and max possible were 0-80).

Mean and median averages achieved were **46** (45.57) and **47** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2019 (round 2)

The graph below shows the distribution of shortlist scores awarded to all CIT applications submitted in 2019 ST3 recruitment round 2.

The number of applications submitted was **56**; shortlist scores ranged from **18-68** (min and max possible were 0-80).

Mean and median averages achieved were **42** (41.55) and **42** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2019 (round 1)

The graph below shows the distribution of shortlist scores awarded to all CIT applications submitted in 2019 ST3 recruitment round 1.

The number of applications submitted was **132**; shortlist scores ranged from **14-71** (min and max possible were 0-80).

Mean and median averages achieved were **44** (44.75) and **45** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2018 (round 1)

The graph below shows the distribution of shortlist scores awarded to all CIT applications submitted in 2018 ST3 recruitment round 1.

The number of applications submitted was **118**; shortlist scores ranged from **14-76** (min and max possible were 0-80).

Mean and median averages achieved were **48** (47.73) and **49** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2018 (round 2)

The graph below shows the distribution of shortlist scores awarded to all CIT applications submitted in 2018 ST3 recruitment round 2.

The number of applications considered in shortlisting was **37**; shortlist scores ranged from **22-68** (min and max possible were 0-80).

Mean and median averages achieved were **45.27** and **45** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2017 (round 1)

The graph below shows the distribution of shortlist scores awarded to all combined infection training applications submitted in 2017 ST3 recruitment round 1.

The number of applications submitted was **103**; shortlist scores ranged from **18-72** (min and max possible were 0-78).

Mean and median averages achieved were **48** (48.17) and **48** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2017 (round 2)

The graph below shows the distribution of shortlist scores awarded to all combined infection training applications submitted in 2017 ST3 recruitment round 2.

The number of applications submitted was **32**; shortlist scores ranged from **19-77** (min and max possible were 0-80).

Mean and median averages achieved were **49** (48.59) and **51** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2016 (round 1)

The graph below shows the distribution of shortlist scores awarded to all combined infection training applications submitted in 2016 ST3 recruitment round 1.

The number of applications submitted was **97**; shortlist scores ranged from **11-70** (min and max possible were 0-78).

Mean and median averages achieved were **45** (45.09) and **45** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2016 (round 2)

The graph below shows the distribution of shortlist scores awarded to all combined infection training applications submitted in 2016 ST3 Recruitment round 2.

The number of applications submitted was **24**; shortlist scores ranged from **24-64** (min and max possible were 0-78).

Mean and median averages achieved were **42** (41.88) and **40.5** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2015 (round 1)

The graph below shows the distribution of shortlist scores awarded to all combined infection training applications submitted in 2015 ST3 recruitment round 1.

The number of applications submitted was **97**; shortlist scores ranged from **13-76** (min and max possible were 0-78).

Mean and median averages achieved were **46** (46.3) and **46** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2015 (round 2)

The graph below shows the distribution of shortlist scores awarded to all combined infection training applications submitted in 2015 ST3 recruitment round 2.

The number of applications submitted was **17**; shortlist scores ranged from **27-56** (min and max possible were 0-78).

Mean and median averages achieved were **42.53** and **42** respectively.




## ST3 combined infection training recruitment – shortlist score distribution 2014 (round 1)

The graph below shows the distribution of shortlist scores awarded to all combined infection training applications submitted in 2014 ST3 recruitment round 1.

The number of applications submitted was **76**; SL scores ranged from **16-68** (min and max possible were 0-78).

Mean and median averages achieved were **45.30** and **45** respectively.




\*Please note that prior to 2015, recruitment to combined infection training went under the banner of infectious diseases; although this included recruitment to other infection specialties.

## ST3 combined infection training recruitment – shortlist score distribution 2014 (round 2)

The graph below shows the distribution of shortlist scores awarded to all infectious diseases\* training applications submitted in 2014 ST3 recruitment round 2.

The number of applications submitted was **24**; shortlist scores ranged from **15-58** (min and max possible were 0-78).

Mean and median averages achieved were **40** (40.21) and **39** respectively.




\*Please note that prior to 2015, recruitment to combined infection training went under the banner of infectious diseases; although this included recruitment to other infection specialties.

## ST3 combined infection training recruitment – shortlist score distribution 2013 (round 1)

The graph below shows the distribution of shortlist scores awarded to all infectious diseases\* applications submitted in 2013 ST3 recruitment round 1.

The number of applications submitted was **103**; SL scores ranged from **10-67** (min and max possible were 0-78).

Mean and median averages achieved were **43** (43.43) and **46** respectively.




\*Please note that prior to 2015, recruitment to combined infection training went under the banner of infectious diseases; although this included recruitment to other infection specialties.

## ST3 combined infection training recruitment – shortlist score distribution 2013 (round 2)

The graph below shows the distribution of shortlist scores awarded to all infectious diseases\* applications submitted in 2013 ST3 recruitment round 2.

The number of applications submitted was **39**; SL scores ranged from **22-65** (min and max possible were 0-78).

Mean and median averages achieved were **44** (43.72) and **43** respectively.



\*Please note that prior to 2015, recruitment to combined infection training went under the banner of infectious diseases; although this included recruitment to other infection specialties.