



PHST combined infection training recruitment – final assessment score distribution

The graphs within this document show the distribution of interview scores for PHST recruitment since 2013.

The scores are recorded for each candidate attending an interview, including those that were found not to be appointable.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here. See the pages below for the number of candidates, including the percentage of those deemed appointable and non-appointable, interviewed in each round of recruitment; the range of scores obtained and the mean and median scores achieved across all candidates.

Where details for a specific year or round are not included, this should be taken to mean that the specialty was not participating in a particular round or that the specialty at that point in time had not yet joined the nationally-coordinated recruitment process.

Please note that prior to 2015, recruitment to combined infection training went under the banner of infectious diseases; although this included recruitment to other infection specialties.




2026 PHST Recruitment – final assessment score distribution (round 1) – ST3

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2026 ST3 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **114**; the split of appointable vs not-appointable assessments was **89% : 11%**. Scores ranged from **32.2 – 98.50** (min and max possible were 16-100). Mean and median averages achieved were **75.45** and **76.20** respectively.






2026 PHST Recruitment – final assessment score distribution (round 1) – ST4

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2026 ST4 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **69**; the split of appointable vs not-appointable assessments was **93% : 7%**. Scores ranged from **49.50 – 98.50** (min and max possible were 16-100). Mean and median averages achieved were **73.15** and **76.25** respectively.






2025 PHST Recruitment – final assessment score distribution (round 2) – ST3

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2025 ST3 recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **27**; the split of appointable vs not-appointable assessments was **100% : 0%**. Scores ranged from **54.9 – 96.10** (min and max possible were 16-100). Mean and median averages achieved were **78.24** and **77.20** respectively.






2025 PHST Recruitment – final assessment score distribution (round 2) – ST4

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2025 ST4 recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **30**; the split of appointable vs not-appointable assessments was **77% : 23%**. Scores ranged from **46.5 – 91.50** (min and max possible were 16-100). Mean and median averages achieved were **73.15** and **76.25** respectively.






2025 PHST Recruitment – final assessment score distribution (round 1) – ST3

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2025 ST3 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **104**; the split of appointable vs not-appointable assessments was **93% : 7%**. Scores ranged from **35.7 – 96.10** (min and max possible were 16-100). Mean and median averages achieved were **75.48** and **77.15** respectively.






2025 PHST Recruitment – final assessment score distribution (round 1) – ST4

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2025 ST4 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **78**; the split of appointable vs not-appointable assessments was **95% : 5%**. Scores ranged from **49 – 93.00** (min and max possible were 16-100). Mean and median averages achieved were **75.79** and **78.00** respectively.






2024 PHST Recruitment – final assessment score distribution (round 2) – ST3

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2024 ST3 recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **42**; the split of appointable vs not-appointable assessments was **74% : 26%**. Scores ranged from **38.3 – 94.40** (min and max possible were 16-100). Mean and median averages achieved were **70.24** and **74.60** respectively.






2024 PHST Recruitment – final assessment score distribution (round 2) – ST4

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2024 ST4 recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **31**; the split of appointable vs not-appointable assessments was **71% : 29%**. Scores ranged from **38.3 – 94.40** (min and max possible were 16-100). Mean and median averages achieved were **70.80** and **74.70** respectively.






2024 PHST Recruitment – final assessment score distribution (round 1) – ST3

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2024 ST3 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **104**; the split of appointable vs not-appointable assessments was **88% : 12%**. Scores ranged from **35 – 94.8** (min and max possible were 16-100). Mean and median averages achieved were **74.42** and **74.60** respectively.






2024 PHST Recruitment – final assessment score distribution (round 1) – ST4

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2024 ST4 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **69**; the split of appointable vs not-appointable assessments was **84% : 16%**. Scores ranged from **35.3 – 95.2** (min and max possible were 16-100). Mean and median averages achieved were **73.40** and **73.30** respectively.






2023 PHST Recruitment – final assessment score distribution (round 2) – ST3

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2023 ST3 recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **15**; the split of appointable vs not-appointable assessments was **87% : 13%**. Scores ranged from **46.9 – 88.80** (min and max possible were 16-100). Mean and median averages achieved were **70.78** and **69.70** respectively




2023 PHST Recruitment – final assessment score distribution (round 2) – ST4



The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2023 ST4 recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **22**; the split of appointable vs not-appointable assessments was **91% : 9%**. Scores ranged from **47.3 – 99** (min and max possible were 16-110). Mean and median averages achieved were **79.62** and **82.30** respectively.






2023 PHST Recruitment – final assessment score distribution (round 1) – ST3

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2023 ST3 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **64**; the split of appointable vs not-appointable assessments was **88% : 12%**. Scores ranged from **41.4 – 96.0** (min and max possible were 16-100). Mean and median averages achieved were **75.41** and **76.00** respectively






2023 PHST Recruitment – final assessment score distribution (round 1) – ST4

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2023 ST4 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **56**; the split of appointable vs not-appointable assessments was **91% : 9%**. Scores ranged from **53.5 – 107.20** (min and max possible were 16-110). Mean and median averages achieved were **85.69** and **87.05** respectively.






2022 PHST Recruitment – final assessment score distribution (round 2) – ST3

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2022 ST3 recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **33**; the split of appointable vs not-appointable assessments was **88% : 12%**. Scores ranged from **45.35 – 93.6** (min and max possible were 16-100.3). Mean and median averages achieved were **70.75** and **69.5** respectively






2022 PHST Recruitment – final assessment score distribution (round 2) – ST4

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2022 ST4 recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **22**; the split of appointable vs not-appointable assessments was **86% : 14%**. Scores ranged from **44.6 – 102.3** (min and max possible were 16-110.3). Mean and median averages achieved were **74.97** and **71.2** respectively.






2022 PHST Recruitment – final assessment score distribution (round 1) – ST3

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2022 ST3 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **51**; the split of appointable vs not-appointable assessments was **96% : 4%**. Scores ranged from **54.9 – 96.45** (min and max possible were 16-100.3). Mean and median averages achieved were **78.16** and **80.55** respectively.






2022 PHST Recruitment – final assessment score distribution (round 1) – ST4

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in PHST 2022 ST4 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **51**; the split of appointable vs not-appointable assessments was **90% : 10%**. Scores ranged from **48.35 – 104.30** (min and max possible were 16-110.3). Mean and median averages achieved were **81.83** and **81.70** respectively.




2021 ST3 Recruitment – final assessment score distribution (round 2)

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in 2021 ST3 recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was 38; the split of appointable vs not-appointable assessments was **66% : 34%**. Scores ranged from **30.86 – 94.76** (min and max possible were 16-100.4). Mean and median averages achieved were **67.08** and **66.78** respectively.






2021 ST3 Recruitment – final assessment score distribution (Round 1)

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in 2021 ST3 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **90**; the split of appointable vs not-appointable assessments was **88% : 12%**. Scores ranged from **41.26 – 96.92** (min and max possible were 16-100.4). Mean and median averages achieved were **73.03** and **73.19** respectively.






2020 ST3 Recruitment – final assessment score distribution (round 2)

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in 2020 ST3 recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **41**; the split of appointable vs not-appointable assessments was **88% : 12%**. Scores ranged from **41.4 – 97.7** (min and max possible were 16-100.4). Mean and median averages achieved were **75.65** and **77.2** respectively.






2019 ST3 Recruitment – final assessment score distribution (round 1)

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in 2019 ST3 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was **108**; the split of appointable vs not-appointable assessments was **92%: 8%**. Scores ranged from **36.75 – 95.45** (min and max possible were 16-100). Mean and median averages achieved were **73.04** and **74.50** respectively.






2018 ST3 Recruitment – final assessment score distribution (round 1)

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in 2018 ST3 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was 102; the split of appointable vs not-appointable assessments was **91%: 9%**. Scores ranged from **23.45 – 96.55** (min and max possible were 16-100). Mean and median averages achieved were **71.84** and **71.63** respectively.






2018 ST3 Recruitment – final assessment score distribution (round 2)

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in 2018 ST3 recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was 27; the split of appointable vs not-appointable assessments was **78%: 22%**. Scores ranged from **39.95 – 91.00** (min and max possible were 16-100). Mean and median averages achieved were **69.39** and **73.95** respectively.






2017 ST3 Recruitment – final assessment score distribution (round 1)

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in 2017 ST3 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was 85; the split of appointable vs not-appointable assessments was **89% : 11%**. Scores ranged from **38.0 – 93.70** (min and max possible were 16-99.5). Mean and median averages achieved were **71.82** and **74.40** respectively.






2017 ST3 Recruitment – final assessment score distribution (round 2)

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in 2017 ST3 recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was 27; the split of appointable vs not-appointable assessments was **93% : 7%**. Scores ranged from **36.75 – 85.65** (min and max possible were 16-99.5). Mean and median averages achieved were **71.13** and **75.25** respectively.




2016 ST3 Recruitment – final assessment score distribution (round 1)

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in 2016 ST3 recruitment round 1.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included here.

The number of applicants receiving a full assessment and final score was 87; the split of appointable vs not-appointable assessments was **83% : 17%**. Scores ranged from **34.95 – 93.30** (min and max possible were 16-99.5). Mean and median averages achieved were **69.71** and **70.05** respectively.






2016 ST3 Recruitment –final assessment score distribution (round 2)

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in 2016 ST3 Recruitment round 2.

All scores here have been rounded to the nearest whole number; and only those candidates who received both a score for their verified application form and performance at interview have been included.

The number of applicants receiving a full assessment and final score was 18; the split of appointable vs not-appointable assessments was **72% : 28%**. Scores ranged from **43.75 – 90.20** (min and max possible were 16-99.5). Mean and median averages achieved were **66.89** and **70.25** respectively.






2015 ST3 Recruitment – final assessment score distribution (round 1)

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in 2015 ST3 recruitment round 1.


The number of applicants receiving a full assessment and final score was **70**; the split of appointable vs not-appointable assessments was **83% : 17%**. Scores ranged from **43.00 – 89.25** (min and max possible were 16-99.5). Mean and median averages achieved were **69 (68.51)** and **69.30** respectively.



2015 ST3 Recruitment – final assessment score distribution (round 2)

The graph below shows the distribution of final assessment scores awarded to **combined infection training** candidates assessed at interview in 2015 ST3 recruitment round 2.


The number of applicants receiving a full assessment and final score was **12**; the split of appointable vs not-appointable assessments was **83% : 17%**. Scores ranged from **48.35 – 82.25** (min and max possible were 16-99.5). Mean and median averages achieved were **65 (64.75)** and **60.48** respectively.



2014 ST3 Recruitment – final assessment score distribution (round 1)

The graph below shows the distribution of final assessment scores awarded to **infectious diseases** candidates assessed at interview in 2014 ST3 recruitment round 1.


The number of applicants receiving a full assessment and final score was **63**; the split of ‘appointable’ vs ‘not-appointable’ assessments was **93% : 17%**. Scores ranged from **34.65-92.4** (min and max possible were 16.0-99.5). Mean and median averages achieved were **70** (70.55) and **72.35** respectively.



2014 ST3 Recruitment – final assessment score distribution (round 2)

The graph below shows the distribution of final assessment scores awarded to **infectious diseases** candidates assessed at interview in 2014 ST3 recruitment round 2.


The number of applicants receiving a full assessment and final score was **16**; the split of appointable vs not-appointable assessments was **63% : 38%**. Scores ranged from **40.7 – 90.25** (min and max possible were 16-99.5). Mean and median averages achieved were **65** (64.66) and **64.475** respectively.



2013 ST3 Recruitment – final assessment score distribution (round 1)

The graph below shows the distribution of final assessment scores awarded to **infectious diseases** candidates assessed at interview in 2013 ST3 recruitment round 1.

The number of applicants receiving a full assessment and final score was **71**; the split of appointable vs not-appointable assessments was **77% : 23%**. Scores ranged from **35.9-95.15** (min and max possible were 16.0-99.5). Mean and median averages achieved were **72** (71.62) and **73.35** respectively.



2013 ST3 Recruitment – final assessment score distribution (round 2)

The graph below shows the distribution of final assessment scores awarded to **infectious diseases** candidates assessed at interview in 2013 ST3 recruitment round 2.

The number of applicants receiving a full assessment and final score was **21**; the split of appointable vs not-appointable assessments was **71% : 29%**. Scores ranged from **33.1 – 83.65** (min and max possible were 16-99.5). Mean and median averages achieved were **67** (66.63) and **70.15** respectively.

